





## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com



### Our explosive proof light series:

1. Adopts America BridgeLux or Taiwan Epistar LED light source, can save 60% on energy than metal halide lamp.
2. The blade-shape housing and heat sink on back cover ensure the lamp to efficiently dissipate heat so that prolong LED life.
3. Taiwan Meanwell LED driver or Chinese-made driver, power factor >0.95, more stable performance.
4. (U-Shaped) Adjustable position-locking device on the bracket can tightly fix the lamp to any desired angle, keep the lamp from moving in harsh vibration area.



## **NOKE LED LIGHTING TECHNOLOGY LIMITED**

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483    Mobile:+86-13267241094    Email: sales02@nokeled.com

Website:www.nokeled.com    OR    nokeled.en.alibaba.com

5. The anti corrosion aluminum alloy body is powder coated, anti corrosion, dust proof, water proof. Suitable to be used in harsh environment.
6. Flame proof type of protection, safe for use in all kinds of inflammable and explosive area.
7. The lamp can parallel connected , no need to use the junction box.
8. Beam angle:45°, 120° is optional.

### **MATERIALS**

- Extruded aluminum driver housing
- 12 inch 3 wire pigtail is standard
- Powder coated yellow or black extruded Aluminum housing. Glass over-optic.

### **APPLICATIONS**

- Building Exterior
- Gas station
- Public Spaces
- Warehouse
- Mine
- Building Facade MOUNTING



## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com

### Technical Specification:

Power	30W-250w
Light source	Epistar / bridgelux
Driver	Chinese-made or Meanwell
Input Voltage	90-265VAC (100-277V,90-305V available)
Frequency	50Hz / 60Hz
CCT	2700K-6500K
Beam Angle	120°or 45°
CRI	≥80
Power Efficiency	>90%
Power Factor	≥0.95
Total Harmonic Distortion	≤15%
Working Temperature(°C)	-40°C to 50°C
Lamp Luminous Efficiency(lm/w)	90(warm white);95(cool white)
Explosion levels	Exd II BT6
Water proof	IP65
Certificates	CE and RoHS
Warranty	3 years
Lifespan	50,000 Hrs
Housing	Aluminum alloy



# NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com

## Ordering reference:



Model Number	Size(mm)	Light Source	Wattage (W)	Illuminance(lm)	Replacement
NK-EPW1-30W	Φ 190X120	1pcs LEDs	30	2700	70W HPS
NK-EPW1-50W	Φ 236X125	1pcs LEDs	50	4500	100W HPS
NK-EPW1-70W	Φ 295X150	1pcs LEDs	70	6300	150W HPS
NK-EPW1-100W	Φ 295X150	1pcs LEDs	100	9000	200W HPS
NK-EPW3-120W	Φ 410X140	3pcs LEDs	120	10800	250W HPS
NK-EPW3-150W	Φ 410X140	3pcs LEDs	150	13500	300W HPS
NK-EPW4-200W	Φ 410X140	4psc LEDs	200	18000	400W HPS
NK-EPW3-120W01	Φ 310X160	3pcs LEDs	120	10800	250W HPS
NK-EPW3-150W01	Φ 310X160	3pcs LEDs	150	13500	300W HPS
NK-EPW4-200W01	Φ 350X160	4psc LEDs	200	18000	400W HPS
NK-EPW5-250W01	Φ 400X165	5pcs LEDs	250	22500	500W HPS




## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com

### Installations:





## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com

**Package:1pcs/carton**





## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com

**Producing according to customer's requirement:**





## NOKE LED LIGHTING TECHNOLOGY LIMITED

Address: 4/F, Building A, Xueziwei Industrial Zone, Shajing Town, Bao'an District, Shenzhen, China

Tel: +86-755-29197483    Mobile: +86-13267241094    Email: sales02@nokeled.com

Website: [www.nokeled.com](http://www.nokeled.com)    OR    [nokeled.en.alibaba.com](http://nokeled.en.alibaba.com)

