



## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com



## DATASHEET FOR LINEAR LED HIGHBAY

### Special Features:

1. Adopts Phillips LED source,High luminous flux,Energy saving obviously, compared with the sodium light energy saving more than70%.
2. Excellent decorative effect,appearance can choose a variety of colors,side installation easy to removal.
- 3.Taiwan Meanwell LED driver, power factor >0.95, more stable performance.
4. No UV or IR radiation
5. Low heat emission



## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com

6. Extreme 50,000hours life,Ten times longer than conventional light source.
7. Green non-polluting,does not contain lead,mercury and other pollution elements,there is no pollution of the environment.
8. The color is good,the physical color presentation of more vivid.
9. Adjustable position-locking device on the bracket can tightly fix the lamp to any desired angle, keep the lamp from moving in harsh vibration area.
- 10.The lamp can parallel connected , no need to use the junction box.

### MATERIALS

- Extruded aluminum driver housing
- 12 inch 3 wire pigtail is standard
- Powder coated silver extruded Aluminum housing.

### APPLICATIONS

- Building Exterior
- Workshop
- Public Spaces
- Warehouse
- Building Facade MOUNTING



## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com

### Technical Parameter:

Model No.	NK-TLW3-150W11
Equivalent	450W High Pressure Sodium Lamp
LED Light Source	SMD Philips LED
Driver	Taiwan Meanwell
LED Luminous Efficiency	100-120 lm/w
Lamp Total Power	150W
Power Efficiency	> 95%
Lamp Rated Luminous Flux	13500-16500Lm
Lamp Rated Luminous Efficiency	> 95 lm/W
Color Rendering Index(CRI)	Ra>80
Color Temperature(Color Temperature)	Warm white:3000K
	White:4000K,5000K
	Cool white:6000K
Beam Angle	140X80 degree beam
Light Distribution/Beam Pattern	Square Beam
Input Voltage	AC 90-305V ; DC 30-36V
Frequency Range	47-63Hz
Power Factor(PF)	> 0.95
Total Harmonic Distortion(THD)	< 15%
Storage Temperature	-40--+80
Working Environment	-40--+50 ; 10%-95%RH
Junction Temperature(Tj)	60 ± 10%(ta=25)
Light Body and Lampshade Material	Aluminium reflector +Glass
Working Lifetime	> 50,000hrs
Certificates	CE and RoHS
Warranty time	5 years
IP Rating	IP65
Product size	92cm*16.5cm*19.5cm




## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com

### Lighting effect:



### Details:

## 3-D Heat Dissipation

Professional thermal structure, cross-ventilation design improving heat dissipation performance to long life time



## Large angle adjustment

Screw lock attached type installation,multiple stents to adjust,adjustable Angle of -50°---+50°,into light Angle can be adjust at wall.



# NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com

**Water proof connector**

**Multi-beam Angle optional**

**Outdoor Anti-static powder coating**

**Hot cellular Effects Heat Dissipation Structure**

**-50° +50°**  
**Multiple Angles Adjustable Bracket**

**Meanwell Driver**

**PHILIPS SMD3030, High efficiency 120LM/W**





## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com


Website:www.nokeled.com OR nokeled.en.alibaba.com

### Installation:


Can be with surface-mounted, wall-mounted and suspend installation



**A:Installed in the roof beam**



**B:Installed in the ceiling**





## NOKE LED LIGHTING TECHNOLOGY LIMITED

Add:4/F,Building A,Xueziwei Industrial Zone,Shajing Town,Bao'an District, Shenzhen, China

Tel: +86-755-29197483 Mobile:+86-13267241094 Email: sales02@nokeled.com

Website:www.nokeled.com OR nokeled.en.alibaba.com

### Application:

Factory, Coliseum, Shops, Super market, Underground platform and other illumination and decoration at home and public area

